

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

SEARCH YALABIL LATIONO KOA THE Feedback Report a problem Satisfaction survey Found 3,713 of 206,720 Terms used: Patient centered and guestionnaires Try an Advanced Search Sort results Save results to a Binder relevance Try this search in The ACM Guide bν Search Tips Display expanded form results Open results in a new window Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 Best 200 shown Relevance scale Understanding patients: participatory approaches for the user evaluation of vital data presentation Karl A. Stroetmann, Michael Pieper, Veli N. Stroetmann ACM SIGCAPH Computers and the Physically Handicapped, Proceedings of the 2003 conference on Universal usability CUU '03, Issue 73-74 Publisher: ACM Press Full text available: pdf(186.52 KB) Additional Information: full citation, abstract, references, index terms The objective of our research was to undertake first steps to analyse patient access to their electronic health records (EHR) as a crucial universal access issue: Why is patient involvement becoming a key issue, what approaches are available to learn more about patient attitudes and needs, which concrete

outcomes can be obtained from such research? The paper outlines a reference scenario for tele home monitoring of chronically ill patients including measurement devices and system environment, pr ...

Keywords: assessment, electronic health record, participatory approaches, patient, telemonitoring, universal access, validation

Papers: Pupil consultation online: developing a web-based questionnaire system Scott Milne, Lorna Gibson, Peter Gregor, Ken Keighren

July 2003 Proceeding of the 2003 conference on Interaction design and children IDC '03

Publisher: ACM Press

Full text available: pdf(740.51 KB)

Additional Information: full citation, abstract, references, citings

The idea of consulting pupils about developments in their schools is now established in legislation and practice in schools. While many methods of performing such consultations have been employed for a number of years, a new system has been developed which can offer a consultation environment previously not available. An online pupil consultation system for use in schools throughout Fife Council is designed so that staff members can build questionnaires, allow pupils to complete them anonymously ...

Keywords: children, interactivity, pupil consultation

People: The well-tempered practitioner: Designing useful and usable questionnaires: you can't just

"throw a questionnaire together" Chauncey E. Wilson

May 2007 interactions, Volume 14 Issue 3

Publisher: ACM Press

Full text available: pdf(216.02 KB) html (16.60 KB)

Additional Information: full citation, references, index terms

Programming by questionnaire: an effective way to use decision tables

David W. Low

May 1973 Communications of the ACM, Volume 16 Issue 5

Publisher: ACM Press

Full text available: pdf(506.85 KB)

Additional Information: full citation, abstract, references

Programming by questionnaire combines aspects of decision table programming and general purpose programming by using decision tables to construct an application program through the selection of certain source statements from a predefined file. It is proposed that programming by questionnaire is a useful compromise between general and special purpose programming for a significant class of large scale problems. The elements of the approach are discussed and an existing application is describe ...

Keywords: applications development, automatic program generation, customizing, modeling, no reprogramming, programmer productivity, simulator generation

Questionnaires as a software evaluation tool Robert W. Root, Steve Draper December 1983 Proceedings of the SIGCHI conference on Human Factors in Computing Systems CHI '83 Publisher: ACM Press Full text available: pdf(501.81 KB) Additional Information: full citation, abstract, citings, index terms This paper reports on a study investigating the strengths and weaknesses of questionnaires as software evaluation tools. Two major influences on the usefulness of questionnaire-based evaluation responses are examined: the administration of the questionnaire, and the background and experience of the respondent. Two questionnaires were administered to a large number of students in an introductory programming class. The questionnaires were also given to a group of more experienced users (inclu ... Issues of usability in hypermedia systems: a usability estimation questionnaire for hypermedia designers Nikos Tsirakis, Nikos Karousos, George Gkotsis November 2005 Proceedings of the 2005 symposia on Metainformatics MIS '05 Publisher: ACM Press Full text available: pdf(160.54 KB) Additional Information: full citation, abstract, references Open Hypermedia have come up with several systems, which can provide services to software developers. This paper argues that usability is a critical attribute that should be taken into consideration during the development process of an Open Hypermedia System (OHS). An analysis of the usability issue from a developer's perspective is carried out. Moreover, targeting at a usability estimation technique, a questionnaire for OHSs designers is being proposed. Finally, some evaluation results of nu ... Keywords: hypermedia, hypermedia development, usability How people read sociograms: a questionnaire study Weidong Huang, Seok-Hee Hong, Peter Eades November 2006 Proceedings of the Asia Pacific symposium on Information visualisation - Volume 60 APVIS '06 Publisher: Australian Computer Society, Inc. Full text available: pdf(277.49 KB) Additional Information: full citation, abstract, references Visualizing social network data into sociograms plays an important role in communicating information about network characteristics. Previous studies have shown that human perceptions of network features can be affected by the layout of a sociogram [McGrath et al. 1996, 1997]. An empirical user study has been conducted to investigate effectiveness of five different network visualization conventions and impact of edge crossings on sociogram perceptions, using both quantitative performance and p ... Keywords: edge crossing, questionnaire, social network, sociogram perception Principles of survey research: Principles of survey research part 4: questionnaire evaluation Barbara Kitchenham, Shari Lawrence Pfleeger May 2002 ACM SIGSOFT Software Engineering Notes, Volume 27 Issue 3 Publisher: ACM Press Full text available: pdf(482.50 KB) Additional Information: full citation, abstract, references, citings This article discusses how to avoid biased questions in survey instruments, how to motivate people to complete instruments and how to evaluate instruments. In the context of survey evaluation, we discuss how to assess survey reliability i.e. how reproducible a survey's data is and survey validity i.e. how well a survey instrument measures what it sets out to measure. Keywords: researcher bias, respondent motivation, survey reliability, survey validity How people read sociograms: a questionnaire study Weidong Huang, Seok-Hee Hong, Peter Eades January 2006 Proceedings of the 2006 Asia-Pacific Symposium on Information Visualisation - Volume 60 APVis '06 Publisher: Australian Computer Society, Inc. Full text available: pdf(254.98 KB) Additional Information: full citation, abstract, references, index terms

Visualizing social network data into sociograms plays an important role in communicating information

about network characteristics. Previous studies have shown that human perceptions of network features can be affected by the layout of a sociogram [McGrath et al. 1996, 1997]. An empirical user study has been conducted to investigate effectiveness of five different network visualization conventions and impact of edge crossings on sociogram perceptions, using both quantitative performance and pref ...

Keywords: edge crossing, questionnaire, social network, sociogram perception

10	Reverse engineering questionnaire Kostas A. Kontogiannis, Scott R. Tilley		
January 1994 ACM SIGSOFT Software Engineering Notes, Volume 19 Issue 1			
	Publisher: ACM Press Full text available: pdf(386.05 KB)	Additional Information: full citation, abstract, index terms	
	or on-line. The results of the ques whom are Ph.D. students working	n understanding and reverse engineering. It may be filled out manually tionnaire will be used to guide the research of the two authors, both of in this area. Copies of the resulting report will be mailed to all who results will be published in an appropriate forum.	
Psychometric evaluation of an after-scenario questionnaire for computer usability studies ames R. Lewis			
~	December 1990 ACM SIGCHI Bulletin, Publisher: ACM Press	Volume 23 Issue 1	
	Full text available: pdf(37.1.36 KB)	Additional Information: full citation, abstract, references, citings, index terms	
	A three-item after-scenario questionnaire was used in three related usability tests in different areas of the United States. The studies had eight scenarios in common. After participants finished a scenario, they completed the After-Scenario Questionnaire (the ASQ). A factor analysis of the responses to the ASQ items revealed that an eight-factor solution explained 94 percent of the variability of the 24 (eight scenarios by three items per scenario) items. The varimax-rotated factor pattern show		
12	Militing from open answers in questionnaire data		
•	Hang Li, Kenji Yamanishi August 2001 Proceedings of the sevential discovery and data min	enth ACM SIGKDD international conference on Knowledge ing KDD '01	
	Publisher: ACM Press Full text available: pdf(643.01 KB)	Additional Information: full citation, abstract, references, citings, index terms	
	(i.e., answers to open questions) basis for making business decision for analyzing open answers in que	marketing and customer relationship management, and open answers in particular may contain valuable information and provide an important as. We have developed a text mining system that provides a new way estionnaire data. The product is able to perform the following two of characteristics for individual analysis targets, (B) accura	
	Keywords : Association Rules, Cla Questionnaire Data, Survey, Text	assification Rules, Correspondence Analysis, Open Question, Mining	
13		eds and opportunities provided to employees at a computing	
center Michael P. Munger, Donald F. Costello, Susan C. Duda June 1970 Proceedings of the eighth annual SIGCPR conference			
	Publisher: ACM Press Full text available: pdf(878.50_KB)	Additional Information: full citation, abstract, references, citings, index terms	
	The management of the University of Nebraska Computing Center (UNCC) is faced with primarily two tasks. The first task is making decisions in accordance with externally imposed conditions, such as physical resources and policies established by the University administration. The second task is making decisions according to UNCC internal policies and professional staff needs. With respect to the second task, it became apparent during planning sessions that management had available various sou		
14	Late breaking result papers: Computerized self-administered questionnaires on touchscreen kiosks: do they tell the truth?		
P.J. Blignaut April 2004 CHI '04 extended abstracts on Human factors in computing systems CHI '04			
	Publisher: ACM Press Full text available: pof(114.90 KB)	Additional Information: full citation, abstract, references, index terms	
	A computerized self-administered	questionnaire (CSAO) was implemented on a touchscreen-based	

A computerized self-administered questionnaire (CSAQ) was implemented on a touchscreen-based information kiosk. Because of the voluntary nature thereof and uncontrolled circumstances in which respondents could complete the survey, it was essential to determine whether the feedback could be

regarded as representing the true feelings of kiosk users. Respondents were categorized according to the number of items completed and the internal consistency of responses within each category was examined. R ... Keywords: information kiosk, self-administered questionnaires, touchscreen, usability analysis A probabilistic similarity index between binary vectors for questionnaire data analysis (abstract only) Xiaobo Li February 1987 Proceedings of the 15th annual conference on Computer Science CSC '87 Publisher: ACM Press Full text available: pdf(102.90 KB) Additional Information: full citation, abstract, references, index terms This paper proposes a probabilistic similarity index as a proximity measure between binary feature vectors. Different situations of binary features are analyzed and applications of the new index to questionnaire analysis is reported. Binary vectors are the most frequently used data format in computer science. Pattern recognition problems, such as questionnaire data analysis, require that the association between binary pattern vectors or feature vectors be measured. Many associati ... Criterion for judging request intention in response texts of open-ended questionnaires Inui Hiroko, Utiyama Masao, Isahara Hitoshi Proceedings of the second international workshop on Paraphrasing - Volume 16 Publisher: Association for Computational Linguistics Full text available: pdf(343.34 KB) Additional Information: full citation, abstract, references Our general research aim is to extract the actual intentions of persons when they respond to open-ended questionnaires. These intentions include the desire to make requests, complaints, expressions of resignation and so forth, but here we focus on extracting the intention to make a request. To do so, we first have to judge whether their responses contain the intent to make a request. Therefore, as a first step, we have developed a criterion for judging the existence of request intentions in resp ... A questionnaire Anthony P. Lucido March 1972 ACM SIGGRAPH Computer Graphics , Proceedings of the 1972 SIGGRAPH seminar on Computer graphics in medicine, Volume 6 Issue 4 Publisher: ACM Press Full text available: pdf(214.43 KB) Additional Information: full citation, abstract, index terms Comments from the editors To determine the current status of some of the work being done by our readers I have put together a questionnaire. The questionnaire itself will be found following this short note. I would appreciate hearing from all persons currently doing some work in the area of computer graphics, or from anyone wishing to contribute information on a system in use. I will try to put all responses together (assuming someone out there responds) and summarize what is bei ... AN AFTER-SCENARIO QUESTIONNAIRE FOR USABILITY STUDIES: PSYCHOMETRIC **EVALUATION OVER THREE TRIALS** James R. Lewis October 1991 ACM SIGCHI Bulletin, Volume 23 Issue 4 **Publisher: ACM Press** Full text available: pdf(99.17_KB) Additional Information: full citation, abstract, references The purpose of this report is to (1) describe a psychometric evaluation of a printer scenario questionnaire (PSQ) that was used to assess user satisfaction during scenario-based usability studies of printers and (2) compare the psychometric properties of the PSQ with those of the After-Scenario Questionnaire (ASQ) (Lewis, 1991b). The PSQ is similar to the ASQ, but is composed of three five-point scales rather than three seven-point scales. Questionnaire results January 1969 Proceedings of the conference on APL APL '69 Publisher: ACM Press Full text available: pdf(960.04 KB) Additional Information: full citation, abstract, index terms As a result of the Conference, a questionnaire was mailed to about 120 registrants, one to an installation, requesting that they submit a priority list of their desires in terms of additional APL support or further

As a result of the Conference, a questionnaire was mailed to about 120 registrants, one to an installation, requesting that they submit a priority list of their desires in terms of additional APL support or further elements of implementation. About 50 questionnaires were returned; some of these were from 1130 users, some were from installations that had little or no experience with APL. There was a rather distinct, definable pattern of response. The items are listed below, in an ...

Design parameters of rating scales for web sites
Paul Van Schaik, Jonathan Ling

May 2007 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 14 Issue 1



Additional Information: full citation, abstract, references, index terms

The effects of design parameters of rating scales on the perceived quality of interaction with web sites were investigated, using four scales (Disorientation, Perceived ease of use, Perceived usefulness and Flow). Overall, the scales exhibited good psychometric properties. In Experiment 1, psychometric results generally converged between two response formats (visual analogue scale and Likert scale). However, in Experiment 2, presentation of one questionnaire item per page was better than all ...

Keywords: Human-computer interaction, Likert scale, interaction mechanism, online questionnaires, psychometrics, questionnaire layout, response format, screen design, visual analogue scale, web site

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

e-mail printer friendly

Search >

Results for "((patient centered<in>metadata) <and> (clinical<in>metadata))"

Your search matched 6 of 1618078 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

IEEE JNL

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IET CNF

IEEE Conference Proceeding

IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

Check to search only within this results set

Display Format:

view selected items

Select All Deselect All

1. Longitudinal patient-centered collection and analysis of clinical data

Huyn, P.; Lacroix, Z.; Perrone, A.;

Information Technology Applications in Biomedicine, 2000. Proceedings. 2000 IEEE EMBS

International Conference on

9-10 Nov. 2000 Page(s):316 - 323

Digital Object Identifier 10.1109/ITAB.2000.892409

AbstractPlus | Full Text: PDF(644 KB) | IEEE CNF

Rights and Permissions

2. The incredible shrinking lab

Aldridge, S.;

IEE Review

Volume 51, Issue 8, Aug. 2005 Page(s):34 - 38

AbstractPlus | Full Text: PDF(303 KB) IET JNL

3. Healthcare@Home: Research Models for Patient-Centred Healthcare Services

Subramanian, M.; Ali, A.S.; Rana, O.; Hardisty, A.; Conley, E.C.;

Modern Computing, 2006. JVA '06. IEEE John Vincent Atanasoff 2006 International Symposium

Oct. 2006 Page(s):107 - 113

Digital Object Identifier 10.1109/JVA.2006.21

AbstractPlus | Full Text: PDF(4877 KB) | IEEE CNF

Rights and Permissions

4. Health informatics: a key driver for integrated drug delivery systems

Price, S.; Summers, R.;

Engineering in Medicine and Biology Society, 2003. Proceedings of the 25th Annual

International Conference of the IEEE

Volume 4, 17-21 Sept. 2003 Page(s):3870 - 3872 Vol.4

AbstractPlus | Full Text: PDF(285 KB) IEEE CNF

Rights and Permissions

5. Hypertension decision support aid for use in clinical practice

Wilson, S.L.; Carson, E.R.; Roudsari, A.V.;

Intelligent Decision Support in Clinical Practice (Ref. No. 1998/462), IEE Colloquium on

22 June 1998 Page(s):8/1 - 8/3

AbstractPlus | Full Text: PDF(224 KB) IET CNF

Application and Evaluation of Personal Health Information Management System

Eung-Hun Kim; Maisie Wang; Christopher Lau; Yongmin Kim;

Engineering in Medicine and Biology Society, 2004. EMBC 2004. Conference Proceedings. 26th

Annual International Conference of the
Volume 2, 2004 Page(s):3159 - 3162
Digital Object Identifier 10.1109/IEMBS.2004.1403891
AbstractPlus | Full Text: PDF(240 KB) IEEE CNF
Rights and Permissions

indexed by inspec*

Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE – All Rights Reserved

$\mathsf{IEEE}\ Xp$

□ AbstractPlus

◆ View Search Results


Access this document



Full Text: PDF (644 KB)

Download this citation

Choose Citation & Abstract





» Learn More

Rights and Permissions

» Learn More

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



Longitudinal patient-centered collection and analysis of clinical data

Huyn, P. Lacroix, Z. Perrone, A. SurroMed Inc., Palo Alto, CA, USA;

This paper appears in: Information Technology Applications in Biomedicine, 2000. Proceedings. 2000

IEEE EMBS International Conference on

Publication Date: 9-10 Nov. 2000

On page(s): 316 - 323 Number of Pages: xiv+383

Meeting Date: 11/09/2000 - 11/10/2000

Location: Arlington, VA

INSPEC Accession Number: 6806083

Digital Object Identifier: 10.1109/ITAB.2000.892409

Posted online: 2002-08-06 23:33:26.0

Abstract

Most available computer-assisted clinical questionnaire systems are generally designed to be used by the medical practitioner, rather than the patient. The Web-based questionnaire system presented: is designed to elicit clinical information directly from the patient; is entirely governed by logical specifications which are dynamically retrieved from a database; makes information gathering efficient, both in terms of the precision with which the forms content is selected to be presented to the user, and in terms of presentation speed; and free of medical bias in its administration. A patient-centered approach also affects the analysis of collected data. When a questionnaire is managed by healthcare providers, they are the experts and do the analysis of clinical data with their medical wisdom. With an approach based on a global collection of clinical data directl from patients over time, new data analysis tools are needed to generate medical information. Our approach aims to extract more general medical concepts such as the detection of early stage of disease. The clinical data analysis engine presented: uses a variety of built-in medical wisdom such as medical pathways, scoring or analysis of symptoms over time; can be directed either towards a given patient's health or a large sample patients for data mining; and generates medical information out of collected clinical data for a variety of users the patients themselves, their caregivers or medical researchers

Index Terms Inspec

Controlled Indexing

Internet data analysis medical administrative data processing

Non-controlled Indexing

Web-based questionnaire system clinical data clinical data analysis engine clinical information computer-assisted clinical questionnaire systems data mining information gathering longitudinal patient-centered collection medical information medical practitioner patient-centered approach

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ View Search Results

Contact Us Privacy & Security IEEE.c © Copyright 2006 IEEE - All Rights Resen